

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2287	(fax\$3 facsimile\$1 scan\$3 print\$3) near3 (encrypt\$3 encod\$3 encipher\$8 cipher\$7 crypto\$8) near3 (document\$ file\$1 data\$1 message\$1 datagram\$1 package\$1 packet\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 12:36
L2	37368	(profil\$3 user\$2 client\$3 role\$1 privilege\$1 priviledge\$1) near3 (director\$3 table database\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 12:36
L3	220	L2 and L1	USPAT; IBM_TDB	OR	OFF	2007/03/01 12:36
L4	111	L3 and director\$3	USPAT; IBM_TDB	OR	OFF	2007/03/01 12:36
L5	59	L4 and profile\$1	USPAT; IBM_TDB	OR	OFF	2007/03/01 12:36
L6	17412	((358/1.1) or (358/3.23) or (358/3.28) or (358/1.18) or (358/505) or (358/539) or (358/400) or (358/448) or (358/474) or (358/498) or (726/1-7) or (726/17-19) or (726/21) or (726/30) or (726/30) or (380/202) or (380/229) or (380/243) or (380/37) or (380/28-30) or (709/223) or (709/225) or (709/229) or (711/163) or (711/205-207)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/03/01 12:36
L7	2866	L6 and L2	USPAT; IBM_TDB	OR	OFF	2007/03/01 12:36
L8	35	L7 and L1	USPAT; IBM_TDB	OR	OFF	2007/03/01 12:36
L9	59	L5 and address\$3	USPAT; IBM_TDB	OR	OFF	2007/03/01 12:36

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	166	(profile\$1 file\$1) near5 (address\$3 destination\$1 ip) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:50
L2	87552	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L3	15338	(profile\$1 file\$1) near5 (address\$3 ip (destination\$1 near3 field\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L4	786	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L5	56	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 L4	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L6	4435	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L7	20850	(profile\$1 file\$1) near7 (address\$3 destination\$1 ip)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L8	123	L2 and L1	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L9	68	L8 and L6	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L10	39588	(profile\$1 file\$1) NEAR3 (director\$4 table\$1 list\$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L11	6531	(profile\$1 file\$1) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L12	1124	L3 and L11	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L13	27172	scan\$4 near3 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:45
L14	35	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 L13	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L15	102	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3) with (address\$3 destination\$1 ip) with (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L16	53190	(fax\$3 facsimile\$1 scan\$4) near9 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L17	1125	(universal\$2 global\$1) near5 (unique\$2 near2 (id identif\$4 identit\$3 identification\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40

EAST Search History

L18	33672	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 employee-ID student-ID ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L19	57996	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 (user\$2 near information\$1) (user\$2 near data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L20	6007	L19 and L18	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L21	150	L20 and L17	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L22	139363	(remote\$2 outside\$1) near4 (access\$3 control\$1 gain\$3 obtain\$3 log\$4 userid\$2 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L23	86	L22 and L21	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L24	786	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L25	64046	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 employee\$1 (user\$2 near2 information\$1) (user\$2 near2 data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L26	56	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 L24	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L27	21	L25 and L26	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:40
L28	1	I13 and I9	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:47
L29	109053	(print\$4 (optic\$4 near3 (device\$1 machine\$1 unit\$1 system\$1 computer\$1 node\$1 station\$1)) scan\$4) near4 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:46
L30	19	I29 and I9	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:51
L31	25	(profile\$1) near7 (address\$3) near7 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:50
L32	2	I29 and I31	USPAT; IBM_TDB	OR	OFF	2007/03/01 13:51